

ARLU[®]
OPENING DOORS

**PIVOTICA
SOLUTIONS**





01 PIVOTING HINGES

5 Pivotica®

02 DOOR STOPS

9 Door stops


ARLU, THE REFERENCE FOR OPENING DOORS

ARLU is the leading reference in *opening doors*. With a strong focus on design, functionality and innovation, we craft architectural hardware that blends aesthetics with precision engineering. Our solutions are crafted to enhance both interior and exterior spaces, offering architects, designers, and builders the tools to realize their vision. From sleek, modern lines to solid, durable mechanisms, ARLU products embody quality and creativity. From stylish homes and offices to hotels and restaurants, our hardware opens more than just doors, it opens possibilities. Discover how ARLU redefines access and elevates every space with elegant and reliable door solutions.

01

PIVOTING HINGES

The choice of pivoting interior doors is mainly a matter of taste. Fitting flush to the wall, the appearance is appealing even when the pivoting door is open. Thanks to their compact size, pivoting hinges can even be used for floor-to-ceiling doors. The fact that the pivot point can be chosen at will, making room for creativity, especially with the fact that no door frame is needed and the door can therefore be placed perfectly flush with the wall. With the hinge system integrated into the doorleaf, this always represents a perfect solution both for new buildings as well as refurbishments, also in combination with underfloor heating.





ARLU PIVOTICA

The ARLU Pivotica® is thanks to its compact size not only easy to mount in the door, the pivot hinge can also be installed in pivoting floor-to-ceiling-height doors. The innovative pivot hinge even allows for the pivot point on the door to be chosen freely (at a minimum of 40 mm from the side of the door); this way, wide doors can for instance rotate from the middle. The argenta Pivotica is suitable for both left and right doors. Thanks to the ARLU Pivotica, architects can use spaces and walls creatively, seeing how the pivot hinge does not require a door frame and the door can be aligned perfectly with the wall. All parts of this pivot hinge are rust-resistant. The ARLU Pivotica is suitable for indoor use of both modern residential buildings as well as public buildings and offices. The ARLU Pivotica is preferably used in combination with the ARLU Magnotica® PRO, a contactless doormagnet.

ARLU Pivotica 45

What are the benefits ?

Ease of use


- Easy installation
- Opening angle in both directions up to 150°
- Fixed settings at 90° in both directions
- Free choice of rotating position (hinge point)
- Adjustable outlining (straight outlining)
- Pivot system to be mounted in the doorpanel and not (as usual) in the floor or ceiling

Safety

- Child-friendly (easy to open)

Aesthetics

- Invisible
- Available for floor-to-ceiling-height doors
- Invisible door closer




Technical features

Pivotica®	
Material	Aluminum + stainless steel
Finishes	Brushed Stainless Steel
Door thickness	min. 40 mm
Door weight	max. 45 kg
Door width	1500 mm
Door height	3000 mm
Reference	91500020

ARLU Pivotica 45

Door	X	Y	Z
40 mm	8	3	40
44 mm	8	3	40
50 mm	9	3	40
54 mm	10	3	40



Combinations

Pivotica hinges can be perfectly combined with Magnotica magnetic locks and the S-handle.



See page 40



See page 54

02

DOOR STOPS


A door stop prevents damage to walls, furniture or doors, whilst remaining discreet or serving as a door stop in style. Our range of door stops offers functional solutions with a refined finish, suitable for any room. Available in various shapes and mounting options, always designed for durable, high-quality use.

Brass door stop, type 495



Technical specifications

Material	Finish	Packaging	Reference number
Brass	Stainless steel	per 10 pieces	00049506




Stainless steel crescent-shaped door stop, type 496



Technical specifications

Material	Finish	Packaging	Reference number
Stainless steel	brushed stainless steel	per 10 pieces	00049601





This brochure is updated regularly.
Please check our website for the latest version.

